



ERCOLE FLATBED STRENGTH AND STABILITY TO OVERCOME DAILY CHALLENGES

GENERAL CARGO



CHASSIS





PRODUCED VERSIONS (*p.15)

LENGTH	WIDTH		FIFTH WHEEL HEIGHT	N° SIDEBOARDS	SIDEBOARD HEIGHT	COIL HOLE
	FLOOR	SIDEBOARD				

38S136E / 38S126E / 38S105E / 38S095E gooseneck 180 mm

13,600 mm	2,470 mm	2,540 mm	1,170 mm	4	600 - 800 - 1,000 mm	9,500 mm
12,600 mm	2,470 mm	2,540 mm	1,170 mm	4	600 - 800 - 1,000 mm	-
10,500 mm	2,470 mm	2,540 mm	1,170 mm	3	600 - 800 - 1,000 mm	-
9,500 mm	2,470 mm	2,540 mm	1,170 mm	3	600 - 800 - 1,000 mm	-

38S136EB gooseneck 140 mm

13,600 mm	2,480 mm	2,550 mm	1,170 mm	4	600 - 800 - 1,000 mm	9,000 mm
-----------	----------	----------	----------	---	----------------------	----------

38S136EL gooseneck 120 mm


13,600 mm	2,480 mm	2,550 mm	1,150 mm	4	600 - 800 - 1,000 mm	7,200 mm
-----------	----------	----------	----------	---	----------------------	----------





OPTIONAL ACCESSORIES

- Lift axles
- Steering wheel
- ADR kit
- Tarpaulin structure with sideboards
- Tarpaulin structure without sideboards
- Imu hooks
- Imo/(Rina) approved ferry hooks kit
- Coil hole
- Cab guard
- Sideboards of various heights
- Winches
- Through brackets with load securing bushings
- Through brackets with sideboard protection bushings
- Gable tarpaulin structure
- Tool box





PRODUCED VERSIONS (*p.15)

FIFTH WHEEL HEIGHT	INTERNAL HEIGHT	TOTAL HEIGHT	WIDTH	NET LENGTH	LENGTH
-----------------------	--------------------	-----------------	-------	---------------	--------

38S136EL CURTAINSIDER 385/65

1,150 mm	2,700 mm	4,000 mm	2,550 mm	13,600 mm	13,900 mm
----------	----------	----------	----------	-----------	-----------

38S136EL CURTAINSIDER 385/55

1,150 mm	2,740 mm	4,000 mm	2,550 mm	13,600 mm	13,900 mm
----------	----------	----------	----------	-----------	-----------





OPTIONAL ACCESSORIES

- Lift axles
- Steering wheel
- Tarpaulin structure with sideboards
- Tarpaulin structure without sideboards
- Imu hooks
- Predisposition for ferry
- Coil hole

